


SINOSTAR

Application leader in UV disinfection industry

A disinfection lamp in each house, keep away
from bacteria and viruses!



SINOSTAR LIGHTING GROUP LTD.

Address: 5F, # 11 Building, Fenjiang N. Rd., Foshan, 528000,
Guangdong, China

Tel: +86-757-883982666

Fax: +86-757-882283667

E-mail: sales@sinostar.net

Website: <http://www.sinostar.net>

DEODORIZATION
MITE REMOVAL
AIR CLEANER
STERILIZATION

CE FCC ROHS

Company Profile

SinoStar Lighting Group Ltd. is a China national high-tech enterprise, specializing in the research, development, production and sales of UV special light sources. Our company has passed ISO9001: 2015 international quality management system certification, and has obtained sanitary licenses for disinfection products in the medical field. Owing our professional R&D team with more than 10 years experience, we have gained numbers of national invention patents and implementation patents, and meanwhile we are also a member of the China Environmental Protection Industry Association and a director unit of the Guangdong Environmental Protection Industry Association.

SinoStar has been committed to the research, development, and production of ultraviolet product applications, exhaust gas purification, sewage treatment, sterilization and household disinfection. Our company has 19 years of experience in R & D of ballasts and a professional technical team of ultraviolet technology applications, also laboratories, test rooms, and multiple automated and semi-automated production equipment. We have achieved modernization and standardization. Large-scale production. By strictly control the quality, we ensure the stability and reliability of products, a series of which have passed CE, ROHS, explosion-proof certification.

Our products are suitable for exhaust gas purification, sewage treatment, household disinfection appliances and sterilization in public places, such as hospitals and schools, and products are well sold in China and abroad, meanwhile have been well received by many universities and well-known enterprises.

Since the establishment of our company, all Liangyueliang people are always achieving excellence to meet customers and market needs at the altitude of realistic and doing-better. At the coming future, Liangyueliang will also introduce a large number of professionals and advanced equipment and never stop optimization and innovation, furtherly improve product performance, ensure product quality, develop high-end products, taking customer satisfaction as responsibility. We will keep making progress and contribute our biggest power in health life and green environment.

Qualification Honor




UV disinfection car series



SS-UVC-M SERIES

- Product power: 60W/80W
- Product Size: 240*320*720mm
- Product material: Cold rolled plate
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Application area: 60m²/ 80m²
- Lamp life: 8000H
- Way to control: Intelligent remote control + three gear timing
- Product Weight: 5Kg
- UV wavelength: 253.7nm/253.7nm+185nm



SS-UVC-M100/M150

SS-UVC-M200

SS-UVC-V120/V150W/200W

- | | | |
|--|--|---|
| <ul style="list-style-type: none"> · Product power: 100W/150W · Product Size: 240*320*720mm · Product material: Cold rolled plate · Rated voltage: 220V/50H Optional 110V/60Hz · Application area: 80m²/ 150m² · Lamp life: 8000H · Way to control: Intelligent remote control + three gear timing · Product Weight: 7.5Kg · UV wavelength: 253.7nm/253.7nm+185nm | <ul style="list-style-type: none"> · Product power: 200W · Product Size: 240*420*720mm · Product material: Cold rolled plate · Rated voltage: 220V/50H Optional 110V/60Hz · Application area: 100m² · Lamp life: 8000H · Way to control: Intelligent remote control + three gear timing · Product Weight: 7.8Kg · UV wavelength: 253.7nm/253.7nm+185nm | <ul style="list-style-type: none"> · Product power: 120W/150W/200W · Product Size: 250*250*660mm · Product material: Aluminum · Rated voltage: 220V/50H Optional 110V/60Hz · Application area: 150m² · Lamp life: 8000H · Way to control: Intelligent remote control + three gear timing · Product Weight: 6Kg · UV wavelength: 253.7nm/253.7nm+185nm |
|--|--|---|

Ultraviolet germicidal lamp series



SS-UVC-PT38/PE38

- Product power: 38W
- Product Size: 200*140*390mm
- Product material: ABS material
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Application area: 40m²
- Lamp life: 8000H
- Way to control: Key switch + three gear timing
- Product Weight: 0.55Kg
- UV wavelength: 253.7nm/253.7nm+185nm



High intensity UV



360 degree sterilization



Sterilization



Remove odor



Intelligent remote control



Safe and efficient



SS-UVC-A38/A58

- Product power: 38W/58W
- Product Size: 180*180*400mm(38W)
180*180*600mm(58W)
- Product material: Nano metal coating
- Rated voltage: 220V/50H Optional 110V/60Hz
- Application area: 40m²(40W)
80m²(75W)
- Lamp life: 8000H
- Way to control: Remote control switch + button timing
- Product Weight: 1.6Kg(40W) / 2Kg(75W)
- UV wavelength: 253.7nm/253.7nm+185nm



SS-UVC-D55

- Product power: 55W
- Product Size: 200*55*120mm
- Product material: ABS material
- Rated voltage: 220V/50H Optional 110V/60Hz
- Application area: 60m²
- Lamp life: 8000H
- Way to control: Key switch + three gear timing
- Product Weight: 1.6Kg
- UV wavelength: 253.7nm/253.7nm+185nm



SS-UVC-H75W/H100W/15WR

- Product power: 75W/100W/150W
- Product Size: 200*200*630mm(75W)
200*200*630mm(100W)
200*200*930mm(150W)
- Product material: Stainless steel 304 material
- Rated voltage: 220V/50H Optional 110V/60Hz
- Application area: 80m²(75W)
100m²(100W)
150m²(150W)
- Lamp life: 8000H
- Way to control: Smart switch + three gear timing
- Product Weight: 1.6Kg(75W) / 2Kg(100W) / 2.6Kg(150W)
- UV wavelength: 253.7nm/253.7nm+185nm

Air disinfection machine series



SS-UVC-AP2

- Product power: 75W
- Product Size: 420*210*630mm
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Air volume: 400m³/h
- Noise value: 35 dB-55dB
- Wind speed adjustment: 1st-2nd-3rd
- Application area: 30-50m²
- Product Weight: 8Kg
- Disinfection method: UV irradiation + negative ion purification



Anion purification



High intensity UV



Smart timing



Sterilization



Purify particulate matter



Smart touch



SS-UVC-AP3

- Product power: 100W
- Product Size: 360*200*630MM
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Air volume: 400m³/h
- Noise value: 35 dB-55dB
- Wind speed adjustment: 1st-2nd-3rd
- Application area: 30-50m²
- Product Weight: 7kg
- Disinfection method: UV irradiation + ozone disinfection



SS-UVC-AP6

- Product power: 30W
- Product Size: 250*80*420mm
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Air volume: 300m³/h
- Noise value: 35 dB-50dB
- Wind speed adjustment: 1st gear-2nd gear-3rd gear-4th gear
- Application area: 30-40m²
- Product Weight: 4.4kg
- Disinfection method: UV irradiation + positive and negative high energy ions + ozone disinfection

Portable ultraviolet sterilization bag series



SS-UVC-B SERIES

- Product power: 3W
- Product Size: 260*215*155mm(Gray)/260*215*175mm(Pink)
- Product material: Polyester material(Gray) / Pu material(Pink)
- Rated voltage: DC5V
- Features: Low energy consumption, low temperature, long life, portable storage
- Lamp life: 10000H
- Way to control: button
- Product Weight: 0.4Kg(Gray)/0.8Kg(Pink)
- UV wavelength: 253.7nm+185nm



High intensity UV



Sterilization



USB interface



Remove odor



power switch button



Safe and efficient

SS-UVC-B03

- Product power: 3W
- Product Size: 400*300*300mm
- Product material: Oxford fabric
- Rated voltage: DC5V
- Features: Low energy consumption, low temperature, long life, large capacity
- Lamp life: 10000H
- Way to control: Magnet switch
- Product Weight: 1.15kg
- UV wavelength: 253.7nm+185nm

SS-UVC-B02

- Product power: 3W
- Product Size: 280*190*135mm
- Product material: Oxford fabric
- Rated voltage: DC5V
- Features: Foldable, easy to carry, does not take up space
- Lamp life: 10000H
- Way to control: button
- Product Weight: 0.4Kg
- UV wavelength: 253.7nm+185nm

SS-UVC-B06

- Product power: 3W
- Product Size: 420*310*210mm
- Product material: Oxford fabric
- Rated voltage: DC5V
- Features: 360 degree universal wheel, easy to move, mobile kill
- Lamp life: 10000H
- Way to control: Magnet switch
- Product Weight: 1.8Kg
- UV wavelength: 253.7nm+185nm



Portable ultraviolet germicidal lamp series



SS-UVC-P03

- Product power: 3W
- Product Size: 50*50*120mm
- Killing characteristics: Mobile kill
- Rated voltage: DC5V
- Application area: 3-5m²
- Lamp life: 30000H
- Way to control: button
- Product Weight: 0.1Kg
- UV wavelength: 253.7nm+185nm



High intensity UV



USB interface



28S delayed start



Remove odor



power switch button



Safe and efficient

SS-UVC-P06

- Product power: 3W
- Product Size: 63*63*175mm
- Input voltage: USB plug and play, power bank, adapter
- Speed of the fan: 6500 rpm
- Application area: 3-5m²
- Purification speed: 60m³/h
- Way to control: button
- Product Weight: 0.3Kg
- UV wavelength: 253.7nm+185nm

SS-UVC-P3.8

- Product power: 4W
- Product Size: 265*41*38mm
- Product material: ABS material
- Killing characteristics: Mobile kill
- Battery supply: Alkaline No. 5 battery (4XAA)
- Lamp life: 30000H
- Way to control: button
- Product Weight: 0.2Kg
- UV wavelength: 253.7nm

SS-UVC-B9P1

- Product power: 2W
- Product Size: 227*125*50mm
- Product material: ABS material
- Killing characteristics: Mobile kill
- Input voltage: USB interface
- Lamp life: 30000H
- Way to control: Wiring switch
- Product Weight: 0.2Kg
- UV wavelength: 253.7nm



Ultraviolet wall lamp series



SS-UVC-S20/S30/S40

- Product power: 20W/30W/40W
- Product Size: 390*60*250mm(20W) / 490*60*250mm(30W) / 640*60*250mm(40W)
- Product material: ABS material
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Application area: 20m²(20W) / 30m²(30W) / 40m²(40W)
- Lamp life: 8000H
- Way to control: button
- Product Weight: 0.8Kg(20W) / 1Kg(30W) / 1.35Kg(40W)
- UV wavelength: 253.7nm/253.7nm+185nm

Ultraviolet moving bracket lamp series



SS-UVC-T506/T508/T510/T820/T830/T840

Power	Length	Range of use	Bracket length	UV intensity	Standard life
6W	212mm	Disinfection cabinet	232mm	18uw/cm ²	9000H
8W	288mm	Shoebox	314mm	28uw/cm ²	9000H
10W	311mm	bathroom	350mm	30uw/cm ²	9000H
20W	589mm	20m ²	615mm	75uw/cm ²	9000H
30W	894mm	30m ²	915mm	107uw/cm ²	9000H
40W	1199mm	40m ²	1220mm	117uw/cm ²	9000H



SS-CTVC-15W/25W

- Product power: 15W/25W
- Product Size: 180*50mm(10W) / 180*50mm(15W)
- Light tube interface: E27
- Lamp diameter: φ 32mm
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Lamp life: 8000H
- Way to control: button
- Application area: 10m²(10W) / 15m²(15W)
- UV wavelength: 253.7nm / 253.7nm+185nm



Leafless sterilization fan



SS-UVC-AP2

- Product power: 40W
- Product Size: 220*90*600mm
- Product material: ABS material
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Features: Three-block wind speed, 0-60 degrees shaking head, ambient night light
- Lamp life: 8000H
- Way to control: Touch switch + intelligent remote control
- Product Weight: 3.1Kg
- UV wavelength: 253.7nm/253.7nm+185nm



High intensity UV



Anion purification



Circulating air



Remove odor



Intelligent remote control



Safe and efficient

Ultraviolet mosquito lamp series



SS-MQT-2W/6W

- Product power: 2W/6W
- Product Size: 310*243*55mm(2W) / 500*243*55mm(6W)
- Product material: ABS material
- Rated voltage: 220V/50Hz Optional 110V/60Hz
- Application area: 15m²(2W) / 35m²(6W)
- Lamp life: 8000H
- Way to control: button
- Product Weight: 0.8Kg(2W) / 1.6Kg(6W)
- UV wavelength: 365nm